

**HYDROFOAM 2.0** 

Page: 1

Compilation date: 14/12/2017

Revision No: 1.0

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: HYDROFOAM 2.0

REACH registered number(s): EXEMPT - MIXTURE

Product code: 002

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Air Conditioning condenser cleaner PC35: Washing and cleaning products (including

solvent based products).

### 1.3. Details of the supplier of the safety data sheet

Company name: Advanced Engineering Ltd

Guardian House Stroudley Road Basingstoke Hampshire RG24 8NL

United Kingdom

**Tel:** +44(0)1256460300 **Fax:** +44(0)1256462266

Email: sales@advancedengineering.co.uk

## 1.4. Emergency telephone number

Emergency tel: Advanced Engineering Ltd (24hr) +44 (0) 1256 854318

### **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

#### 2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

**HYDROFOAM 2.0** 

Page: 2

**Precautionary statements:** P261: Avoid breathing spray.

P262: Do not get in eyes, on skin, or on clothing. P264: Wash hands thoroughly after handling.

P280: Wear protective gloves / protective clothing / eye protection / face protection.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

### FLUOROBORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
240-898-3	16872-11-0	-	Skin Corr. 1B: H314	1-10%
ORTHOPHOS	PHORIC ACID			,
231-633-2	7664-38-2	-	Skin Corr. 1B: H314	1-10%
UREA - REAC	H registered number	er(s): 01-2119463277-33-XXXX		,
200-315-5	57-13-6	Substance with a Community workplace exposure limit.	-	1-10%
METHANOL				
200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370	<1%

# Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 5 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

**HYDROFOAM 2.0** 

Page: 3

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after long-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Remove

all incompatible materials as outlined in section 10 of SDS.

### 6.2. Environmental precautions

Environmental precautions: In bulk concentrated form, avoid spillage into drains, sewers and water courses.

Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

Avoid all incompatible materials in clean-up procedure - see section 10 of SDS.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

#### **HYDROFOAM 2.0**

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

### 7.3. Specific end use(s)

Specific end use(s): Air Conditioning condenser cleaner PC35: Washing and cleaning products (including

solvent based products).

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Hazardous ingredients:**

# ORTHOPHOSPHORIC ACID

## Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m3	2 mg/m3	-	-

## UREA

UK	4 mg/m³ -
----	-----------

### **METHANOL**

UK	266 mg/m3	333 mg/m3	-	-
----	-----------	-----------	---	---

## **DNEL/PNEC Values**

### Hazardous ingredients:

### **UREA**

Type	Exposure	Value	Population	Effect
DNEL	Dermal	580 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	292 mg/m³	Workers	Systemic
DNEL	Dermal (repeated dose)	580 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation (repeated dose)	292 mg/m³	Workers	Systemic
PNEC	Fresh water	0.047 mg/l	-	-
PNEC	Marine water	0.047 mg/l	-	-

## 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure all engineering measures

mentioned in section 7 of SDS are in place.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves. EN 374-1:2003

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Acid-resistant protective clothing.

**HYDROFOAM 2.0** 

Page: 5

Environmental: In bulk concentrated form, avoid spillage into drains, sewers and water courses. Ensure

all engineering measures mentioned in section 7 of SDS are in place.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Perceptible odour

Evaporation rate: Moderate

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Boiling point/range°C: 101 Flash point°C: >93

### 9.2. Other information

Other information: Not applicable.

### Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong bases.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Hazardous ingredients:**

**HYDROFOAM 2.0** 

Page: 6

#### **FLUOROBORIC ACID**

IPR	RAT	LD50	10	mg/kg
ORL	MUS	LDLO	50	mg/kg
ORL	RAT	LD50	100	mg/kg

### **ORTHOPHOSPHORIC ACID**

ORL	RAT	LD50	1530	ma/ka
OIL	100	LD00	1000	1119/119

### **UREA**

DERMAL	RBT	LD50	> 3.2	g/kg
ORAL	RAT	LD50	14300	mg/l

### **METHANOL**

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after long-term exposure.

Other information: Not applicable.

## **Section 12: Ecological information**

# 12.1. Toxicity

### Hazardous ingredients:

### **UREA**

ALGAE	192H NOEC	47	mg/l

**HYDROFOAM 2.0** 

Page: 7

FISH	96H LC50	6810	mg/l
WATER FLEA	24H EC50	10000	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: The biodegradability of the surfactants contained in this product are in accordance with

the requirements of the EU Detergent Regulation (EC/648/2004). Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

### 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Soluble in water.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Recovery operations:** Recovery of components used for pollution abatement.

Waste code number: 16 03 03

Disposal of packaging: Clean with water. Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Regulation (EC) No 1272/2008 of the European Parliament and of the

Council of the 16th December 2008 on Classification, labeling and packaging of Substances and Mixtures. The biodegradability of the surfactants contained in this product are in accordance with the requirements of the EU Detergent Regulation

(EC/648/2004).

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **HYDROFOAM 2.0**

Page: 8

### Section 16: Other information

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.