

SAFETY DATA SHEET

R245fa

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name R245fa **REACH** registration number 01-0000016587-60-XXXX Other means of identification EC No.: 419-170-6 CAS No.: 460-73-1 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Refrigerant Restricted to professional users. Uses advised against Consumer uses: Private households (= general public = consumers) 1.3. Details of the supplier of the safety data sheet Company and address **Darment Oy Ruosilantie 18** 00390 Helsinki Finland +358 20 558 8250 www.darment.eu E-mail info@darment.fi Revision 05/12/2024 **SDS Version** 1.0 1.4. Emergency telephone number HUS Poison Information Center, 24h 0800 147 111 Poison Information Center / HUS, Tukholmankatu 17, 00029 HUS (Helsinki) See first aid measures section 4. SECTION 2: Hazards identification Classified according to Regulation (EC) No. 1272/2008 (CLP). 2.1. Classification of the substance or mixture Press. Gas (Liq.); H280, Contains gas under pressure; may explode if heated. 2.2. Label elements Hazard pictogram(s) Signal word Warning Hazard statement(s) Contains gas under pressure; may explode if heated. (H280) Precautionary statement(s) General

RMEN

Prevention

Do not breathe vapour/gas/mist. (P260)

Wear face protection/protective gloves/protective clothing. (P280)

[In case of inadequate ventilation] wear respiratory protection. (P284)

Response

IF exposed or concerned: Get medical advice/attention. (P308+P313) Storage

Protect from sunlight. Store in a well-ventilated place. (P410+P403) Disposal

Hazardous substances

1,1,1,3,3-pentafluoropropane

Additional labelling

Contains fluorinated greenhouse gases.

2.3. Other hazards

Additional warnings

In the event of leaks, high concentrations of gases can quickly form. They can be toxic, asphyxiating, or explosive. This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Product/substance	Identifiers	% w/w	Classification	Note
1,1,1,3,3-pentafluoropropane	CAS No.: 460-73-1 EC No.: 419-170-6 REACH: 01-0000016587-60-XXXX Index No.:	99,5-100%	Press. Gas (Liq.) , H280	

3.2. Mixtures

Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

Exposure is not likely due to the physical state of the product (gas).

Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

2MENT

4.2. Most important symptoms and effects, both acute and delayed None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Contains gas under pressure; may explode if heated.

Given that it does not present a risk gas supplies shall be disrupted immediately. Removal of pressurized containers or attempting to cool with water shall be entrusted the fire brigade.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Information Center on: 09-471977, in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Accidental releases always pose a serious risk of fire or explosion.

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Disconnect the gas supply provided it does not present a risk. Avoid breathing fumes. Make sure to have a selfcontained breathing apparatus available and ready-to-use in the event of an emergency.

6.2. Environmental precautions

In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Disconnect the gas supply. Allow liquefied gas to evaporate and dilute into safe concentration levels in the surrounding atmosphere. If necessary control the dilution of the gas with a mist of water. Ventilate rooms in order to remove the gas.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Vapours may propagate along the floor. Prevent the forming of flammable or explosive vapour concentrations by applying sufficient ventilation. Do not use this product in close proximity to sources of ignition.

Protect electrical equipment in accordance with current standards. To divert static electricity during transmission, containers must be grounded and connected by wire with the receiving containers. Do not use spark-forming tools. Pressurized gas packs (spray cans, aerosol cans) must be stored behind a wire mesh, which allows gases to escape and holds back packs flying around.

Recommended storage material

Keep only in original packaging.

Storage conditions

Dry, cool and well ventilated

Protect from sunlight.

Incompatible materials

Acids

SMEN.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The product contains no substances listed in the Finnish list of substances with occupational exposure limit values. DNEL

1,1,1,3,3-pentafluoropropane

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Inhalation	219.3 mg/m ³
Long term – Systemic effects - Workers	Inhalation	438.61 mg/m ³
Short term – Systemic effects - General population	Inhalation	219.3 mg/m ³
Short term – Systemic effects - Workers	Inhalation	438.61 mg/m ³

PNEC

No data available.

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Adequate ventilation must be ensured for all gases. Where natural ventilation is not possible (cellar rooms), artificial ventilation must be installed. It is advantageous to store it in a lattice shed outdoors, as ventilation is no longer necessary in this case.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No special when used as intended.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				
Self contained breathing apparatus			EN137, EN139	
Type/Category		Standards		
II		EN ISO 20345 / EN	ISO 20347	
	Respiratory protection is not needed in the event of adequate ventilation. Self contained breathing apparatus Type/Category	Respiratory protection is not needed in the event of adequate ventilation. Self contained breathing apparatus Type/Category	Respiratory protection is not needed in the event of adequate ventilation. Self contained breathing apparatus Type/Category Standards	Respiratory protection is not needed in the event of adequate ventilation. Self contained breathing apparatus Type/Category Standards

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Fluoropolymer elastomer (e.g. Viton®)	0,7	> 480	EN374-2, EN374-3, EN388	
e protection				
Туре	Standards			

Туре	1	Standards	
alter	shield natively safety ses with side ds.	EN166	Es

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Physical state	
Gas	
Colour	
Colourless	
Odour / Odour threshold	
Faint	
рН	
Does not apply to gases.	
Density (g/cm ³)	
1.32 (20 °C)	
Relative density	
Does not apply to gases.	
Kinematic viscosity	
Does not apply to gases.	
Particle characteristics	
Does not apply to gases.	
Phase changes	
Melting point/Freezing point (°C) -103	
Softening point/range (°C)	
Does not apply to gases.	
Boiling point (°C) Does not apply to gases.	
Vapour pressure 1.227 hPa (20 °C)	
Relative vapour density	
4,6	
Decomposition temperature (°C) 250	
Data on fire and explosion hazards	
Flash point (°C)	
Does not apply to gases.	
Flammability (°C)	
No relevant or available data due to the nature of the product.	
Auto-ignition temperature (°C)	
412	
Lower and upper explosion limit (% v/v) No relevant or available data due to the nature of the product.	
Solubility	
Solubility in water	
7,18 g/L	
n-octanol/water coefficient (LogKow) 1.35	
Solubility in fat (g/L)	

No relevant or available data due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

No relevant or available data due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Sunlight

Extremes of temperature

10.5. Incompatible materials

Strong oxidizing agents Powdered metals

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	1,1,1,3,3-pentafluoropropane
Species:	Rat, Sprague-Dawley, male/female
Route of exposure:	Inhalation
Test:	LC50 (4 hours)
Result:	> 116 000 ppm
Result:	> 116 000 ppm

Product/substance	1,1,1,3,3-pentafluoropropane
Test method:	OECD 402
Species:	Rabbit, male/female
Route of exposure:	Dermal
Test:	LD50
Result:	> 2 mL/kg bw

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

cproductive toxicity	
Product/substance	1,1,1,3,3-pentafluoropropane
Test method:	OECD 416
Species:	Rat, Sprague-Dawley, male/female
Test:	NOAEC
Result:	10 000 ppm
Conclusion:	Adverse effect observed
Product/substance	1,1,1,3,3-pentafluoropropane
Test method:	OECD 414

RMENT

Species:	Rat, Sprague-Dawley, male/female
Test:	NOAEC
Result:	50 000 ppm

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

2.1. TOXICITY Product/substance Species: Compartment: Duration: Test: Result:	1,1,1,3,3-pentafluoropropane Fish, Oncorhynchus mykiss Freshwater 96 hours LC50 > 81,8 mg/L
Product/substance	1,1,1,3,3-pentafluoropropane
Species:	Fish, Oncorhynchus mykiss
Compartment:	Freshwater
Duration:	96 hours
Test:	NOEC
Result:	10 mg/L
Product/substance	1,1,1,3,3-pentafluoropropane
Species:	Daphnia, Daphnia magna
Compartment:	Freshwater
Duration:	48 hours
Test:	EC50
Result:	> 97,9 mg/L
Product/substance	1,1,1,3,3-pentafluoropropane
Species:	Daphnia, Daphnia magna
Compartment:	Freshwater
Duration:	48 hours
Test:	NOEC
Result:	>= 97,9 mg/L
Product/substance	1,1,1,3,3-pentafluoropropane
Test method:	OECD 211
Species:	Daphnia, Daphnia magna
Compartment:	Freshwater
Duration:	14 days
Result:	29 mg/L
Product/substance	1,1,1,3,3-pentafluoropropane
Species:	Algae, Pseudokirchneriella subcapitata
Compartment:	Freshwater
Duration:	72 hours
Test:	NOEC
Result:	>= 118 mg/L
Product/substance	1,1,1,3,3-pentafluoropropane

RMENT

Species:	Algae, Pseudokirchneriella subcapitata
Compartment:	Freshwater
Duration:	72 hours
Test:	EC50
Result:	> 118 mg/L

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

Global warming potential (GWP)

1030

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

14 06 01* Chlorofluorocarbons, HCFC, HFC

Contaminated packing

EWC code

16 05 04* Gases in pressure containers (including halons) containing dangerous substances

SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ADR	UN3163 LIQUEFIED GAS, N.O.S. (1,1,1,3,3- pentafluoropropane)	Transport hazard class: 2 Label: 2.2 Classification code: 2A	-	No	Limited quantities: 120 ml Tunnel restriction code: (C/E) See below for additional information
IMDG	UN3163 LIQUEFIED GAS, N.O.S. (1,1,1,3,3- pentafluoropropane)	Transport hazard class: 2 Label: 2.2 Classification code: 2A	-	No	Limited quantities: 120 ml EmS: F-C S-V See below for additional information

RMENT

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ΙΑΤΑ	UN3163 LIQUEFIED GAS, N.O.S. (1,1,1,3,3- pentafluoropropane)	Transport hazard class: 2 Label: 2.2 Classification code: 2A	-	No	See below for additional information

* Packing group

** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

- 14.7. Maritime transport in bulk according to IMO instruments
 - No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances Not applicable.

Additional information

Not applicable.

Sources

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

REGULATION (EU) No 517/2014 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 April 2014 on fluorinated greenhouse gases.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H280, Contains gas under pressure; may explode if heated.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the mixture in regard to physical hazards has been based on experimental data. The safety data sheet is validated by Darment Oy

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: FI-en